



849.00 EUR
incl. 19% VAT, plus [shipping](#)

- Fanless ! GPS !
- Auto Power On/Off !
- eMark certified !
- VBOX-3130

Support:  [Specifications](#) |  [Manual \[EN\]](#) | [Drivers \(Win7+8+10\)](#) | [Test Tools](#) | [Drawing](#)

This MiniPC was especially designed for fleet applications. The Car-PC can be connected directly to the car battery (12V/24V). Based on ignition plus, the PC will start and shutdown.

For a full PC you need in addition :

- 2.5" HDD/SSD or SATA DOM module - 1x SO-DDR-3L RAM (up to 8GB)

The PC is completely fanless and is equipped with an Intel Celeron N3060 2x2.48GHz CPU.

Available additional modules:

The PC comes with 4x antenna-output and 3x Mini-PCIe slots (1x occupied by GPS module).

We recommend these modules:

- [HSPA / UMTS / EDGE Mini-PCIe Modem \(Huawei MU609\)](#)
- [Wireless LAN / Bluetooth Mini-PCI Express \[Qcom Combo\]](#)

Features :

- Fanless
- Intel Dual Core Celeron N3060 2.48GHz CPU
- Integrated, intelligent Automotive power supply
- 3x RS232
- GPS (ublox 6 with G-sensor)
- 2x Gigabit LAN
- DVI-I + HDMI
- Watchdog
- Prepared for GPS, WLAN, GSM/GPRS with ext. antennas
- 2 x DI / 2 x DO with Relay 12V / 100mA
- Vibration/shock tested

For FleetPC-4-D we offer an [direct connector cable for our TFT-displays](#).

| | |
|-----------------------|--|
| Dimensions / Weight | 182mm W x 167.6mm D x 54mm H, 1.4kg |
| CPU | Intel Dual Core Celeron N3060 2.48 GHz |
| RAM | 1x SO-DDR-3L RAM (up to 8GB) |
| Graphics | Intel HD Graphics |
| GPS | VDB-800SG (ublox 6 with G-sensor) |
| Expansion | - 3x Mini-PCle |
| OS Support | Windows 7, Windows 8.1, Windows 10, Linux |
| Vibration & Shock | MIL-STD-810F |
| Operating temperature | -40~70°C (with SSD) |
| Certification | CE, FCC, eMark |
| | - 2x Gigabit LAN (Intel i210-AT) |
| | - 3x RS232 (2 with 232/422/485) |
| | - 2x USB3.0 |
| | - 1x USB2.0 |
| I/O | - GPIO port (2in, 2out, with Relay 12V/100mA) |
| | - Mic-In, SPK Out |
| | - 1x DVI-I (for DVI-D and VGA), 1x HDMI |
| | - 4x SMA Antenna hole (for eg. GPS, GSM/GPRS/3G, WLAN, Bluetooth) |
| Drive bays | 1 x 2.5" SATA HDD/SSD drive bay, 1x SATA DOM |
| | 9~36V DC PSU included |
| Power supply | - Power off Delay Time Setting by Software, Default 5min |
| | - Backup Battery Kit (optional) |
| Scope of supply | - FleetPC-4-D PC with Intel Celeron N3060 (2x2.48Ghz), mounting brackets |
| | - 1x Pigtail + Antenna for GPS |